



Getting Started

/ ForgeRock Identity Management 6.5

Latest update: 6.5.2.0

Mike Jang

ForgeRock AS
201 Mission St., Suite 2900
San Francisco, CA 94105, USA
+1 415-599-1100 (US)
www.forgerock.com

Copyright © 2015-2018 ForgeRock AS.

Abstract

Guide to installing and evaluating ForgeRock® Identity Management software. This software offers flexible services for automating management of the identity life cycle.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <https://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

ForgeRock® and ForgeRock Identity Platform™ are trademarks of ForgeRock Inc. or its subsidiaries in the U.S. and in other countries. Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

FontAwesome Copyright

Copyright (c) 2017 by Dave Gandy, <http://fontawesome.io>.

This Font Software is licensed under the SIL Open Font License, Version 1.1. See <https://opensource.org/licenses/OFL-1.1>.

Table of Contents

Preface	iv
1. About This Guide	iv
2. Accessing Documentation Online	iv
3. Using the ForgeRock.org Site	v
1. Getting Started With IDM	1
1.1. What Can You Do With IDM?	1
1.2. What You Will See In This Document	2
1.3. What You Need Before Starting	2
1.4. Downloading and Starting the Server	3
1.5. The Getting Started Data Files	4
2. Reconciling Identity Data	5
2.1. Reconciling Information Between Data Stores	6
2.2. Reconciling Identity Data After One Update	9
3. Where To Go From Here	10
3.1. Integrating Business Processes and Workflows	10
3.2. Managing Passwords	10
3.3. Managing User Roles	11
3.4. Connecting to Remote Data Stores	11
3.5. Reconciliation	12
3.6. Available Authentication Modules	12
3.7. Finding Additional Use Cases	13
3.8. How ForgeRock Identity Management Can Help Your Organization	13
3.9. Stopping and Removing the Software	14

Preface

ForgeRock Identity Platform™ serves as the basis for our simple and comprehensive Identity and Access Management solution. We help our customers deepen their relationships with their customers, and improve the productivity and connectivity of their employees and partners. For more information about ForgeRock and about the platform, see <https://www.forgerock.com>.

1. About This Guide

This guide shows you how to install and get started with ForgeRock Identity Management software.

This guide is written for identity management developers and administrators who build, deploy, and maintain ForgeRock Identity Management services for their organizations. This guide covers the tasks you need to quickly get ForgeRock Identity Management software running on your system.

As you read this guide, you will see how ForgeRock Identity Management software reconciles customer identity data to ensure accurate information across disparate resources within an organization.

You will also read about what ForgeRock Identity Management software can do in the areas of provisioning, self-service workflows, and password management. You will see how ForgeRock Identity Management software can connect to a variety of remote data stores, with links to detailed documentation.

For example, engineers might access their systems through Active Directory accounts. Those same engineers might need to update their information in a Human Resources database, stored in a separate LDAP directory. With ForgeRock Identity Management software, you can keep those user identities synchronized, so each engineer only has to update their data once.

2. Accessing Documentation Online

ForgeRock publishes comprehensive documentation online:

- The ForgeRock Knowledge Base offers a large and increasing number of up-to-date, practical articles that help you deploy and manage ForgeRock software.

While many articles are visible to community members, ForgeRock customers have access to much more, including advanced information for customers using ForgeRock software in a mission-critical capacity.

- ForgeRock product documentation, such as this document, aims to be technically accurate and complete with respect to the software documented. It is visible to everyone and covers all product features and examples of how to use them.

3. Using the ForgeRock.org Site

The [ForgeRock.org](https://forgerock.org) site has links to source code for ForgeRock open source software, as well as links to the ForgeRock forums and technical blogs.

If you are a *ForgeRock customer*, raise a support ticket instead of using the forums. ForgeRock support professionals will get in touch to help you.

Chapter 1

Getting Started With IDM

Whenever you need access to important information, administrators need to know who you are. They need to know your identity, which may be distributed in multiple accounts.

As a user, you might have several accounts even within your own company, for functions such as:

- Email
- Human Resources
- Payroll
- Engineering, Support, Accounting, and other functions

Each of these accounts may be stored in different resources, such as DS, Active Directory, OpenLDAP, and more. Keeping track of user identities in each of these resources (also known as data stores) can get complex. IDM simplifies the process, as it reconciles differences between resources.

With situational policies, IDM can handle discrepancies such as a missing or updated address for a specific user. The server includes default but configurable policies to handle such conditions. In this way, consistency and predictability is ensured, in an otherwise chaotic resource environment.

IDM can make it easier to track user identities across these resources. IDM has a highly scalable, modular, readily deployable architecture that can help you manage workflows and user information.

1.1. What Can You Do With IDM?

This software allows you to simplify the management of identity, as it can help you synchronize data across multiple resources. Each organization can maintain control of accounts within their respective domains.

IDM works equally well with user, group, and device identities.

You can also configure workflows to help users manage how they sign up for accounts, as part of how IDM manages the life cycle of users and their accounts.

You can manage employee identities as they move from job to job. You will make their lives easier as their user accounts can be registered on different systems automatically. Later, IDM can increase productivity when it reconciles information from different accounts, saving users the hassle of entering the same information on different systems.

1.2. What You Will See In This Document

In this guide, you will see how IDM reconciles user data between two data stores. We will look at a department that is adding a third engineer, Jane Sanchez.

Your Human Resources department has updated their data store with Jane Sanchez's information. You want to use IDM to update the internal Engineering data store. But first, you have to start IDM.

1.3. What You Need Before Starting

This section covers what you need to have on your system before running IDM:

- Operating System: Windows or UNIX/Linux.
- Java: Java Runtime Environment (JRE) Standard Edition (Java SE) version 8 or 11. Alternatively, you can use the same version of the Java Development Kit (JDK). On Linux, you can also install the OpenJDK package native to your updated Linux distribution.
- At least 10 GB of free disk space.
- At least 1 GB of free RAM.
- If your operating system includes a firewall, make sure that it allows traffic through (default) ports 8080 and 8443.

Note that this *Getting Started* document is provided for demonstration purposes only.

The aim of this document is to make it as easy as possible to set up a demonstration of IDM software. To that end, the document has been written for installations on a desktop operating system not supported by ForgeRock, Microsoft Windows 7.

For a list of software that ForgeRock supports in production, see "*Before You Install*" in the *Release Notes*. The details in the *Release Notes* supersede any information shown in this guide.

1.3.1. Java Environment

On Windows systems, after installing Java, set the `JAVA_HOME` environment variable. To do so on Windows 7, take the following steps:

1. Locate your JRE or JDK installation directory. For a default Java installation on Windows 7, you should find the directory here: `C:\Program Files\Java\jre-version`.
2. Select Start > Control Panel > System and Security > Advanced System Settings to open a System Properties window.
3. Select Advanced > Environment Variables.

4. Set the value of `JAVA_HOME` to match the JRE or JDK installation directory.

These changes are applied the next time you log in or open a new command line console such as PowerShell.

1.4. Downloading and Starting the Server

This procedure assumes that you are starting IDM as a regular (not administrative) user named `user`.

1. Download IDM from the ForgeRock BackStage download site. Releases on the ForgeRock BackStage download site are thoroughly validated for ForgeRock customers who run the software in production deployments, and for those who want to try or test a given release.
2. Extract the contents of the IDM binary file to your user's `Downloads` directory. The process should unpack the contents to the `Downloads/openidm` subdirectory.
3. Navigate to the `Downloads/openidm` subdirectory:

- In Microsoft Windows, use Windows Explorer to navigate to the `C:\Users\user\Downloads\openidm` directory.

Double-click the `getting-started(.bat)` file. Do not select the `getting-started.sh` file, as that is intended for use on UNIX/Linux systems.

- In Linux/UNIX, open a command-line interface and run the following commands:

```
$ cd /home/user/Downloads/openidm
$ ./getting-started.sh
```

4. You should see the following message:

```
-> OpenIDM ready
```

When the server is ready, you can administer it from a web browser. To do so, navigate to `http://localhost:8080/admin` or `https://localhost:8443/admin`. If you have installed the server on a remote system, substitute that hostname or IP address for `localhost`.

Note

In production, you should connect to IDM via the default secure port, 8443, and import a signed certificate into the truststore, as discussed in "Accessing IDM Keys and Certificates" in the *Integrator's Guide*.

Until you install that certificate, you will see a warning in your browser at least the first time you access IDM over a secure port.

The default username and password for the IDM Administrator is `openidm-admin` and `openidm-admin`.

When you log into IDM at a URL with the `/admin` endpoint, you are logging into the Administrative User Interface, also known as the Admin UI.

Warning

The default password for the administrative user, `openidm-admin`, is `openidm-admin`. To protect your deployment in production, change this password.

All users, including `openidm-admin`, can change their password through the End User UI, at <http://localhost:8080/> or <https://localhost:8443/>.

1.5. The Getting Started Data Files

In a production deployment, you can have any number of external data stores, such as Active Directory and ForgeRock Directory Services (DS). For illustration purposes, this guide uses two simple static files as external data stores:

- `hr.csv` represents the Human Resources data store. It is in CSV format, commonly used to share data between spreadsheet applications.
- `engineering.csv` represents the Engineering data store. It is also in CSV format.

You can find these files in the binary package that you downloaded earlier, in the following subdirectory: `openidm/samples/getting-started/data`.

Chapter 2


Reconciling Identity Data

Now that you have installed IDM with a "Getting Started" configuration, you will learn how information is reconciled between two data stores.

While the reconciliation demonstrated in this guide uses two simplified data files, you can set up the same operations at an enterprise level on a variety of resources.

Return to the situation described earlier, where you have Jane Sanchez joining the engineering department. The following illustration depicts what must be done to reconcile the differences.

Reconciling Information Between Data Stores



2.1. Reconciling Information Between Data Stores

A central feature of IDM is reconciliation - comparing the contents of two data stores and deciding what to do, depending on the differences.


This scenario is based on two data files:

- `hr.csv`, which represents the Human Resources data store

- `engineering.csv`, which represents the Engineering data store

Reconciliation modifies the Engineering data store by adding the newly hired Jane Sanchez. As suggested by the following illustration, it will also address detailed differences between Jane's Human Resources account and the Engineering data store.

Data Stores Can Have Different Categories of Data



This sample includes configuration files that map detailed information from the Human Resources data store to the Engineering data store. For example, the configuration maps the `firstName` entry in Human Resources to the `firstname` entry in Engineering.

Note

Mapping between data stores may require additional configuration. You should find two `provisioner.openicf-*.json` files in the `/path/to/openidm/samples/getting-started/conf` subdirectory. The provisioner files configure connections to external resources, such as Active Directory, ForgeRock Directory Services (DS) or even the `engineering.csv` and `hr.csv` files used in this guide. For more information, see "Connecting to External Resources" in the *Integrator's Guide*.

In the Admin UI, you can see how the different categories are reconciled for user Jane Sanchez. Log in to the Admin UI at <https://localhost:8443/admin>. The default username is `openidm-admin` and default password is `openidm-admin`.

Select Configure > Mappings > `HumanResources_Engineering` > Edit.

In the *Sample source preview* text box, enter `Sanchez`. You should see a drop-down entry for Jane Sanchez that you can select. You should now see how IDM would reconcile Jane Sanchez's entry from the (source) Human Resources data store into the (target) Engineering data store.

Reconciling Differences for an Account

Attributes Grid

+ Add property

jsanchez@example.com ▼

Link Qualifier ▼

SOURCE	TARGET	
<code>email</code> <small>(jsanchez@example.com)</small>	<code>name</code> <small>(jsanchez@example.com)</small>	+ ✎ ✕
<code>lastName</code> <small>(Sanchez)</small>	<code>lastname</code> <small>(Sanchez)</small>	+ ✎ ✕
<code>firstName</code> <small>(Jane)</small>	<code>firstname</code> <small>(Jane)</small>	+ ✎ ✕
<code>email</code> <small>(jsanchez@example.com)</small>	<code>email</code> <small>(jsanchez@example.com)</small>	+ ✎ ✕
<code>employeeNumber</code> <small>(234567)</small>	<div style="display: flex; align-items: center;"> ✎ <code>roles</code> <small>(openidm-authorized)</small> </div>	+ ✎ ✕
	<code>telephoneNumber</code> <small>(N/A)</small>	+ ✎ ✕

Scroll back up the same page. Select Reconcile.

When you reconcile the two data stores, IDM makes the change to the Engineering data store.

For those of you who prefer the command-line interface, you can see how the mapping works in the `sync.json` file, in the `/path/to/openidm/samples/getting-started/conf` directory.

2.2. Reconciling Identity Data After One Update

Now that you have used IDM to reconcile two data stores, try something else. Assume the Engineering organization wants to overwrite all user telephone numbers in its employee data store with one central telephone number.

For this purpose, you can set up a default telephone number for the next reconciliation:

1. On the HumanResources_Engineering mapping page, select the Properties tab and expand the Attributes Grid.
2. In the TARGET column, select the row that contains the `telephoneNumber` attribute.
3. Select the Default Values tab and enter a default number:

Set A New Default Telephone Number

Target Property: `telephoneNumber`

Property List

Transformation Script

Conditional Updates

Default Values

Set a default value for this property mapping.

Cancel

Save

When you select Update, and Save, IDM changes the `sync.json` configuration file. The next time you run a reconciliation from Human Resources to Engineering, the default telephone number will be included for all employees in the Engineering group.

Chapter 3

Where To Go From Here

IDM can do much more than reconcile data between two different sources. In this chapter, you will read about the key product features, with links to additional information about each feature.

3.1. Integrating Business Processes and Workflows

A business process begins with an objective and includes a well-defined sequence of tasks to meet that objective. IDM allows you to configure many of these tasks as self-service workflows, such as self-registration, new user onboarding, and account certification.

You can also automate many of these tasks as a workflow.

Once you configure the right workflows, a newly hired engineer can log into IDM and request access to manufacturing information.

That request is sent to the appropriate manager for approval. Once approved, IDM provisions the new engineer with access to manufacturing.

IDM supports workflow-driven provisioning activities, based on the embedded *Activiti* Process Engine, which complies with the *Business Process Model and Notation 2.0* (BPMN 2.0) standard.

3.2. Managing Passwords

You can manage passwords from the End User UI. From the Admin UI, select the icon in the upper-right corner. In the menu that appears, choose Self-Service:

Access the Self-Service User Interface



You should now be in the End User UI. In the Dashboard, select Change Password. You can now change your password, subject to the following minimum number of characters:

- Length \geq 8
- Capital letters \geq 1
- Numbers \geq 1

IDM supports robust password policies. You can modify policies such as the following:

- Elements that should not be a part of a password, such as a family name
- Password expiration dates
- Password histories, to prevent password reuse

For more information, including details on how you can configure these policies, see "*Managing Passwords*" in the *Integrator's Guide*.

3.3. Managing User Roles

Some users need accounts on multiple systems. For example, insurance agents may also have insurance policies with the company that they work for. In that situation, the insurance agent is also a customer of the company.

Alternatively, a salesperson may also test customer engineering scenarios. That salesperson may also need access to engineering systems.

Each of these user scenarios is known as a *role*. You can set up a consolidated set of attributes associated with each role. To do so, you would configure custom roles to assign to selected users. For example, you may assign both *insured* and *agent* roles to an agent, while assigning the *insured* role to all customers.

In a similar fashion, you can assign both *sales* and *engineering* roles to the sales engineer.

You can then synchronize users with those roles into appropriate data stores.

For more information, see "*Working With Managed Roles*" in the *Integrator's Guide*. For a sample of how you can configure external roles, see "*Provisioning With Roles*" in the *Samples Guide*.

3.4. Connecting to Remote Data Stores

IDM can connect to a substantial variety of user and device data stores, on premise and in the cloud. A number of specific connectors are provided, allowing you to connect to those dedicated data stores. In addition, you can connect to many more data stores using a scripted connector framework.

Connectors are provided for a number of external resources, including:

- Google Web Applications (see "*Google Apps Connector*" in the *Connector Reference*).
- Salesforce (see "*Salesforce Connector*" in the *Connector Reference*).
- Any LDAPv3-compliant directory, including DS and Active Directory (see "*Generic LDAP Connector*" in the *Connector Reference*).
- CSV Files (see "*CSV File Connector*" in the *Connector Reference*).
- Database Tables (see "*Database Table Connector*" in the *Connector Reference*).

For a full list, see "*Connector Overview*" in the *Connector Reference*.

If the resource that you need is not on the list, you should be able to use one of the scripted connector frameworks to connect to that resource:

- For connectors associated with Microsoft Windows, IDM includes a PowerShell Connector Toolkit that you can use to provision a variety of Microsoft services, including but not limited to Active Directory, SQL Server, Microsoft Exchange, SharePoint, Azure Active Directory, and Office 365. For more information, see "*PowerShell Connector Toolkit*" in the *Connector Reference*. IDM includes a sample PowerShell Connector configuration, described in "*Connecting to Active Directory With the PowerShell Connector*" in the *Samples Guide*.
- For other external resources, IDM includes a Groovy Connector Toolkit that lets you run Groovy scripts to interact with any external resource. For more information, see "*Groovy Connector Toolkit*" in the *Connector Reference*.

For a sample implementation of the scripted Groovy connector, see "*Connecting to DS With ScriptedREST*" in the *Samples Guide*.

3.5. Reconciliation

IDM supports reconciliation between two data stores, as a source and a target.

In identity management, reconciliation compares the contents of objects in different data stores, and makes decisions based on configurable policies.

For example, if you have an application that maintains its own user store, IDM can ensure your canonical directory attributes are kept up to date by reconciling their values as they are changed.

For more information, see "*Synchronizing Data Between Resources*" in the *Integrator's Guide*.

3.6. Available Authentication Modules

Several different authentication modules are supplied to help you protect your systems. For more information, see "*Supported Authentication and Session Modules*" in the *Integrator's Guide*.

3.7. Finding Additional Use Cases

IDM is a lightweight and highly customizable identity management product.

The documentation includes a number of additional use cases. Most of these are known as *Samples*, and are described in "*Overview of the Samples*" in the *Samples Guide*.

These samples include step-by-step instructions on how you can connect to different data stores, customize product behavior using JavaScript and Groovy, and administer IDM with ForgeRock's common REST API commands.

3.8. How ForgeRock Identity Management Can Help Your Organization

Now that you have seen how IDM can help you manage users, review the features that IDM can bring to your organization:

- *Web-Based Administrative User Interface*

Configure IDM with the Web-Based Administrative User Interface. You can configure many major server components without ever touching a text configuration file.

- *Self-Service Functionality*

User self-service features can streamline onboarding, account certification, new user registration, username recovery, and password reset. The self-service features are built upon a *BPMN 2.0*-compliant workflow engine.

- *Registration With Social Identities*

Users can now register new accounts using information from social identity providers, including Google, Facebook, and LinkedIn. If you configure access through more than one social identity provider, users can select and manage the providers they use. You can also synchronize user information with marketing databases.

For more information, see "*Configuring Social Identity Providers*" in the *Integrator's Guide*.

- *Role-Based Provisioning*

Create and manage users based on attributes such as organizational need, job function, and geographic location.

- *Backend Flexibility*

Choose the desired backend database for your deployment. IDM supports MySQL, Microsoft SQL Server, Oracle Database, IBM DB2, and PostgreSQL. For the supported versions of each database, see "*Before You Install*" in the *Release Notes*.

- *Password Management*

Set up fine-grained control of passwords to ensure consistent password policies across all applications and data stores. Supports separate passwords per external resource.

- *Logging, Auditing, and Reporting*

IDM logs all activity, internally and within connected systems. With such logs, you can track information for access, activity, authentication, configuration, reconciliation, and synchronization.

- *Access to External Resources*

IDM can access a generic scripted connector that allows you to set up communications with many external data stores.

3.9. Stopping and Removing the Software

Follow these steps to stop and remove IDM.

1. To stop IDM, return to the console window where you saw the following message:

```
-> OpenIDM ready
```

Press Return, and enter the following command:

```
-> shutdown
```

2. IDM is self-contained. After you shut down the server, you can choose to delete the files in the `/path/to/openidm` directory. There are no artifacts in system registries or elsewhere.

We hope that you want to continue exploring IDM.

To do so, review the rest of the IDM documentation.